



GOVERNMENT OF INDIA  
MINISTRY OF COMMERCE & INDUSTRY  
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)  
(Formerly Department of Explosives)  
CGO COMPLEX SEMINARY HILLS  
NAGPUR 440006

Letter No: A/P/HQ/MH/104/  
1694(P226024)

Email :explosives@explosives.gov.in  
Phone/Fax No.2510248/2510577

Dated : 20/1/2009

To  
M/s. Pollution Protection System Mumbai  
Pvt Ltd.,  
226, Devendra Industrial Estate,  
Lokmanya Nagar, Pada No. 2,  
Yashodhan Nagar, Thane(W),  
Thane-400606  
Maharashtra(State).

**Sub : Approval of Intrinsically safe equipment.**

Dear Sir(s),

Please refer to your letter No. PPSMPL/CCOE/PNS/08-09/P-1 dated 01/12/2008.

The following equipment(s) manufactured by you according to IS:5780-2002 standards is approved for use in Zone 1 of Gas , Group IIC hazardous areas coming under the purview of the Petroleum Rules, 2002 administered by this Organization.

Sr.No	Description	Safety Protection	CCEs Identification Number	Test House	Test Report No.	Drawing Numbers
1	Intrinsically Safe Gas Transmitter, Model No. : gaZsens Tx (Two wire 4-20 mA Transmitter)	Ex ` ia` T4	P226024/2	CIMFR	CIMFR/TC/P/H795 Dt.11/1/2008	As per Test Report

This Approval is granted subject to observance of the following conditions:-

1. The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the CIMFR Test Reports referred to above.
2. The equipment shall be used only with approved type of accessories and associated apparatus.
3. Each equipment shall be marked either by raised lettering cast integrally or by plate attached to the main structure to indicate conspicuously:-
  - 1) Name of the manufacturer
  - 2) Name and number by which the equipment is identified.
  - 3) Number & date of the test report of the CIMFR applicable to the equipment.
  - 4) Number and date of this letter by which use of apparatus is approved.

Contd...2/-

5 A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the CIMFR Test report and is identical with the one tested and certified at CMRI, Dhanbad shall be furnished with each equipment.


6 The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by CIMFR in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.

This approval also covers the permissible variations as approved under the CIMFR test reports referred to above. This approval may be deemed to have been revoked with immediate effect at any time, if any of the conditions subject to which approval has been granted is violated or not complied with. The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record at regular intervals.

The Approval otherwise is valid for a period of five years from the date of issue of this approval

Yours faithfully,

  
(P.C. Srivastava)

Deputy Chief controller of Explosives  
for Chief Controller of Explosives  
Nagpur

Copy to :

The Jt. Chief Controller of Explosives, West Circle, Mumbai, East Circle, Kolkata, South Circle, Chennai, North Circle, Faridabad, Central Circle, Agra.

for Chief Controller of Explosives

Sl. No.	Description	Safety Protection	CCES Identification Number	Test House	Test Report No.	Drawing Number
1	Internally Safe Gas Transmitter Model No. - Gasmax Tx (Type with 4-20 mA Transmitter)	Ex ia T4	P2360342	CMRI	CIMFR/CP/HD/5 D/11/1208	As per Test Report

This Approval is granted subject to observance of the following conditions:-

1. The design and construction of the equipment shall be strictly in accordance with description condition and drawings as mentioned in the CIMFR Test Report referred to above.
2. The equipment shall be used only with approved type of accessories and associated apparatus.
3. Each equipment shall be marked either by raised lettering cast integrally or by plate attached to the main structure to indicate conspicuously:-
  - (1) Name of the manufacturer
  - (2) Name and number by which the equipment is identified.
  - (3) Number & date of the test report of the CIMFR applicable to the equipment.
  - (4) Number and date of this letter by which use of apparatus is approved.